



Reliance Orthodontic Products, Inc.

Perfect A Smile® Pontic Paint**Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of Revision: 11/28/2018:

Version: 4

SECTION 1: Identification**1.1. Identification**

Product form : Mixture
 Product name : Perfect A Smile Pontic Paint

1.2. Recommended use and restrictions on use

Use of the substance/mixture : For RX only

1.3. Supplier**Manufacturer**

Reliance Orthodontic Products Inc. 1540 West Thorndale Ave. Itasca, IL 60143 USA
 630-773-4009, during normal business hours
 www.RelianceOrthodontics.com

1.4. Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center
 Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

SECTION 2: Hazard(s) identification**2.1. Classification of the substance or mixture****GHS-US classification**

| | | |
|--|------|--|
| Acute toxicity (oral) Category 4 | H302 | Harmful if swallowed |
| Acute toxicity (dermal) Category 4 | H312 | Harmful in contact with skin |
| Acute toxicity (inhalation: vapour) Category 3 | H331 | Toxic if inhaled |
| Serious eye damage/eye irritation Category 1 | H318 | Causes serious eye damage |
| Skin sensitization, Category 1 | H317 | May cause an allergic skin reaction |
| Reproductive toxicity Category 2 | H361 | Suspected of damaging fertility or the unborn child (Inhalation) |
| Hazardous to the aquatic environment - Chronic Hazard Category 2 | H411 | Toxic to aquatic life with long lasting effects |

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements**GHS-US labeling**

Hazard pictograms (GHS-US) :



Hazard statements (GHS-US) :

: H302+H312 - Harmful if swallowed or in contact with skin
 H317 - May cause an allergic skin reaction
 H318 - Causes serious eye damage
 H331 - Toxic if inhaled
 H361 - Suspected of damaging fertility or the unborn child (Inhalation)
 H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS-US) :

: P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P261 - Avoid breathing vapors
 P264 - Wash hands thoroughly after handling
 P270 - Do not eat, drink or smoke when using this product.
 P271 - Use only outdoors or in a well-ventilated area.
 P272 - Contaminated work clothing must not be allowed out of the workplace
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves, eye protection, face protection

Perfect A Smile® Pontic Paint

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P301+P312 - If swallowed: Call a POISON CENTER, Call a doctor if you feel unwell
P302+P352 - If on skin: Wash with plenty of Wash skin with soap and water
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 - If exposed or concerned: Get medical advice/attention.
P310 - Immediately call a POISON CENTER, a doctor
P311 - Call a POISON CENTER, a doctor
P321 - Specific treatment (see First aid measures on this label)
P322 - Specific treatment (see Wash skin with soap and water, Wash hands and other exposed areas with soap and water before leaving work on this label)
P330 - Rinse mouth.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P391 - Collect spillage.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose in a safe manner in accordance with local/national regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product Identifier | % | GHS-US classification |
|---|-----------------------|---------|--|
| Tricyclodecane Dimethanol Diacrylate | (CAS-No.) 42594-17-2 | 45 - 60 | Skin Sens. 1, H317 Repr. 2, H361 Aquatic Chronic 2, H411 |
| N,N-Dimethylacrylamide | (CAS-No.) 2680-03-7 | 15- 30 | Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Eye Dam. 1, H318 |
| Fused Silica | (CAS-No.) 60675-86-0 | < 3 | Skin Irrit. 2, H315 |
| Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide | (CAS-No.) 162881-26-7 | < 1 | Skin Sens. 1, H317 Aquatic Chronic 4, H413 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a doctor.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.
Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

Perfect A Smile® Pontic Paint

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Avoid breathing mist, vapors. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing mist, vapors. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

N,N-Dimethylacrylamide (2680-03-7)

Not applicable

Tricyclodecane Dimethanol Diacrylate (42594-17-2)

Not applicable

Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7)

Not applicable

Fused Silica (60675-86-0)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Perfect A Smile® Pontic Paint

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Liquid |
| Appearance | : Viscous liquid |
| Color | : Yellow / Beige |
| Odor | : Acrylic |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : Not applicable |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Not applicable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Perfect A Smile® Pontic Paint

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity : Oral: Harmful if swallowed. Dermal: Harmful in contact with skin. Inhalation:vapour: Toxic if inhaled.

| Pontic Paint | |
|-----------------|----------------------------|
| ATE US (oral) | 947.137 mg/kg body weight |
| ATE US (dermal) | 1321.586 mg/kg body weight |
| ATE US (vapors) | 2.952 mg/l/4h |

| N,N-Dimethylacrylamide (2680-03-7) | |
|------------------------------------|---|
| LD50 oral rat | 215 - 464 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male/female, Experimental value) |
| LC50 inhalation rat (mg/l) | 0.67 mg/l (4 h, Rat) |
| ATE US (oral) | 215 mg/kg body weight |
| ATE US (dermal) | 300 mg/kg body weight |
| ATE US (vapors) | 0.67 mg/l/4h |
| ATE US (dust, mist) | 0.67 mg/l/4h |

| Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7) | |
|---|--|
| LD50 oral rat | > 2000 mg/kg (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value) |
| LD50 dermal rat | > 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male/female, Experimental value) |

| Fused Silica (60675-86-0) | |
|---------------------------|-----|
| LD50 oral rat | N/A |
| LD50 dermal rat | N/A |
| LD50 dermal rabbit | N/A |
| LC50 inhalation rat (ppm) | N/A |

Skin corrosion/irritation : Not classified
 Serious eye damage/irritation : Causes serious eye damage.
 Respiratory or skin sensitization : May cause an allergic skin reaction.
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified

| Fused Silica (60675-86-0) | |
|---------------------------|---|
| IARC group | 4 - Probably not carcinogenic to humans |

Reproductive toxicity : Suspected of damaging fertility or the unborn child (Inhalation).
 Specific target organ toxicity – single exposure : Not classified

| Fused Silica (60675-86-0) | |
|---------------------------------------|-----------------------|
| LOAEL (oral,rat) | N/A mg/kg body weight |
| LOAEL (dermal,rat/rabbit) | N/A mg/kg body weight |
| LOAEC (inhalation,rat,gas) | N/A ppmV/4h |
| LOAEC (inhalation,rat,vapour) | N/A mg/l/4h |
| LOAEC (inhalation,rat,dust/mist/fume) | N/A mg/l/4h |

Specific target organ toxicity – repeated exposure : Not classified

| Fused Silica (60675-86-0) | |
|---|--------------------------|
| LOAEL (oral,rat,90 days) | N/A mg/kg bodyweight/day |
| LOAEL (dermal,rat/rabbit,90 days) | N/A mg/kg bodyweight/day |
| LOAEC (inhalation,rat,gas,90 days) | N/A ppmV/6h/day |
| LOAEC (inhalation,rat,vapour,90 days) | N/A mg/l/6h/day |
| LOAEC (inhalation,rat,dust/mist/fume,90 days) | N/A mg/l/6h/day |

Aspiration hazard : Not classified
 Symptoms/effects after skin contact : May cause an allergic skin reaction.
 Symptoms/effects after eye contact : Serious damage to eyes.

Perfect A Smile® Pontic Paint

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

| N,N-Dimethylacrylamide (2680-03-7) | |
|---|--|
| LC50 fish 1 | > 120 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value) |
| EC50 Daphnia 1 | > 120 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) |
| ErC50 (algae) | > 400 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value) |

| Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7) | |
|--|--|
| LC50 fish 1 | > 90 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Semi-static system, Experimental value) |
| EC50 Daphnia 1 | > 1175 µg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Experimental value) |
| ErC50 (algae) | >= 260 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Experimental value) |

12.2. Persistence and degradability

| N,N-Dimethylacrylamide (2680-03-7) | |
|---|-------------------------------------|
| Persistence and degradability | Not readily biodegradable in water. |

| Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7) | |
|--|-------------------------------------|
| Persistence and degradability | Not readily biodegradable in water. |

12.3. Bioaccumulative potential

| N,N-Dimethylacrylamide (2680-03-7) | |
|---|---|
| Log Pow | -0.3 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 23 °C) |
| Bioaccumulative potential | Not bioaccumulative. |

| Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7) | |
|--|---|
| BCF fish 1 | < 5 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Cyprinus carpio, Experimental value) |
| Log Pow | 5.8 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 22 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

12.4. Mobility in soil

| N,N-Dimethylacrylamide (2680-03-7) | |
|---|--|
| Log Koc | < 1.25 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP) |
| Ecology - soil | Highly mobile in soil. |

| Phenyl Bis(2,4,6-trimethylbenzoyl)phosphine Oxide (162881-26-7) | |
|--|-----------------------------------|
| Surface tension | 70.7 - 71.4 mN/m (20 °C, 0.1 g/l) |
| Ecology - soil | Adsorption to soil is possible. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Perfect A Smile[®] Pontic Paint

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Dangerous for the environment : Yes
Marine pollutant : Yes



Other information : No supplementary information available.

Transportation of Dangerous Goods

Transport by sea

Marine pollutant : Yes



Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

N,N-Dimethylacrylamide (2680-03-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Revision date :

Perfect A Smile® Pontic Paint

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

| | |
|------|--|
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H311 | Toxic in contact with skin |
| H312 | Harmful in contact with skin |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H331 | Toxic if inhaled |
| H361 | Suspected of damaging fertility or the unborn child |
| H411 | Toxic to aquatic life with long lasting effects |
| H413 | May cause long lasting harmful effects to aquatic life |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product