

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Aqualizer mouthpiece

COMPONENTS:

A. Proprietary formulation plastic laminate generally recognized as safe followed by their listing in 21CFR.

Nylon 177.1500
 Polyethylene 177.1520
 Acrylic Adhesive 175.105

B. Polyethylene Foam 177.1520 or 177.1350

C. Fluid: deionized water

PHYSICAL DATA:

A. Nylon:

Physical state: Flexible sheet

odor threshold, melting & boiling points, vapor pressure,

evaporation rate, volatility, solubility, N/A

Appearance: Clear, colorless

B. Polyethylene:

Physical states: 1. Clear colorless flexible sheet 2. White foam flexible

Sheet

odor threshold, melting & boiling points, vapor pressure, evaporation

rate, volatility, solubility, N/A

C. Acrylic adhesive

Physical State: Polymerized Microdot Pattern

Odor threshold, melting & boiling points, vapor pressure, evaporation

Rate, volatility, solubility, N/A

HEALTH HAZARD OF INDIVIDUAL COMPONENTS & LAMINATE FILME: None HEALTH HAZARDS OF ORAL USE OF THE AQUALIZER:

- Risk of swallowing: None in individuals with an unimpaired gag reflex.
 The Aqualizer should not be worn by individuals with abnormal or Absent gag reflexes.
- 2. Irritation of Oral Tissues: Options if tissue irritation develops:
 - a. The Aqualizer can be switched to the opposing arch to relieve pressure on the irritated tissues.
 - b. The Aqualizer can be removed until tissues heal & reinserted.
 - c. Use of the Aqualizer can be discontinued.
- 3. Allergic Reactions: One possible mild allergic reaction has been reported in over 1,000,000 usages. Should an allergic reaction occur, discontinue use of the Aqualizer.

There is no latex or BPA in Aqualizers.

STORAGE & HANDLING: Store away from heat. Aqualizers have a shelf life of approximately 1 year, stored at room temperature. The shelf life of Aqualizers may be extended to Approximately 3 years by storing them frozen. Warm the frozen Aqualizer before inserting it Into the mouth.

CLEANING: Wash daily with soap and water.

JUMAR COPROATION., 537 N 6TH ST. Suite B PRESCOTT, AZ 86301 800-HELP-TMD PHONE: 928-442-0038 FAX: 928-442-0039 EMAIL: AQUALIZER@AOL.COM